Vehicle type	CA5310	CA5310
--------------	--------	--------

Drive mode		8×4	8×4
Cab		J6P Flattop small semi-cab	J6P Flattop small semi-cab
Engine	Model	CA6DL2-35E3F	CA6DM2-39E51
	Displacement (L)	8.6	11.05
	Maximum power (hp)	350	390
	Rated speed (rpm)	2,100	1,900
	Maximum torque/speed (Nm/rpm)	1500	1750
	Emission	EURO II	EURO V
Transmission	Model	CA10TA160M2	CA10TAX190M2
	Form/number of gears	Manual/10	Manual/10
	Forward gear ratio coverage	14.7-1.0	14.7-1.0
Front a	xle load (kg)	2×7500	2×7500
Front suspension		Multiple leaf springs	Multiple leaf springs
Rear axle load (kg)		2×16000	2×16000
Rear suspension		4U heavy-duty	4U heavy-duty
Rear axle model/speed ratio		φ300/5.92	φ300/5.921
Chassis	s weight (kg)	About 14000	About 14000
	lowable weight of icle (kg)	31,000	31000
Wheel base (mm)		2100+3200+1350	2100+3600+1350
Truck bed dimension (mm)		14m³	16m³
Tire		12.00R20	12.00R20
Prake system Front and rear independent dual-circuit air brake drum-type brake with ontional A		brake drum type brake with entional APS	

Brake system

Front and rear independent dual-circuit air brake, drum-type brake, with optional ABS