

TECHNOLOGIES SPECIFICATIONS

Vehicle type	CA3250	CA3250	
Drive mode	6×4	6×4	
Cab	J6P flattop small semi-cab	New J6P flattop small semi-cab	
Engine	Model	CA6DL2-35E3F	CA6DM2-42E52
	Displacement (L)	8.6	11.05
	Maximum power (hp)	350	420
	Rated speed (rpm)	2,100	1,900
	Maximum torque/speed (Nm/rpm)	1500	1900
	Emission	EURO II	EURO V
Transmission	Model	CA10TA160M2	CA12TAX210M
	Form/number of gears	Manual/10	Manual/12
	Forward gear ratio coverage	14.7-1.0	12.1-0.78
Front axle load (kg)	7500	7500	
Front suspension	Multiple leaf spring	Multiple leaf spring	
Rear axle load (kg)	2×16000	2×16000	
Rear suspension	Multiple leaf spring	Multiple leaf spring	
Rear axle model/speed ratio	φ300/5.26	φ300/5.921	
Chassis weight (kg)	About 12000	About 12000	
Towing Weight (kg)	60/ 80	60/ 80	
Wheel base (mm)	3800+1350	4300+1350	
Saddle	5600×2300×1400	6000×2300×1500	
Tire	12.00R20	12.00R20	
Brake system	Front and rear independent dual-circuit air brake, drum-type brake, with optional ABS		